


Snap-Lock 150 Standing Seam

A lifetime mid-range standing seam.



Snap-Lock 150 is a modern standing seam most chosen for residential applications. A clip lock design allows for unlimited expansion and contraction.




Design & Size



We provide Snap-Lock 150 custom cut to the inch per specifications. Any length is available from 3' up to 45'.

Snap-Lock 150's design features 1.5" high snap-lock style ribs, spaced 15.625" on center. Thickness options include 26 and 24 gauge as standard.



*Minor Ribs Available at Some Locations - Verify

Warranty & Finish



Painted Snap-Lock 150 carries a 30-40 year paint warranty and 30 year fade/chalk warranty. Unpainted Galvalume carries a 25 year warranty.

The painted option is a baked on enamel paint over primer and Galvalume. The non-painted Galvalume option is 45% zinc and 55% aluminum with a clear acrylic overcoat.



Purpose & Use

Snap-Lock 150 is a thin-seam standing seam most chosen for high end residential and commercial projects.

Snap-Lock 150 is designed for installation over solid decking and for use on slopes as low as 3:12. A floating design allows for longer panels and end-lapping as needed.



MINIMUM SLOPE
3:12



SUBSTRATE
Solid Deck



FLORIDA APPROVALS
Florida Building Code
(HVHZ if 24ga, Non-HVHZ if 26ga)



INTENT
Residential
Commercial



CATEGORY
Standing Seam