


# 1.25" Corrugated

Low profile wavy corrugated panel - 1/4" high ribs.



The lower corrugations of 1.25" Corrugated make it primarily a wall panel – though it has been chosen on roofs with special consideration. 1.25" Corrugated is most popular in non-painted Galvalume or Galvanized finishes, though painted finishes are available.




# Design & Size



We provide 1.25" Corrugated cut to the inch per specification.  
2.5" Corrugated design features 1/4" high ribs, spaced 1.25" on center.

To attain 24" width coverage, lap 1-2 corrugations depending on the manufacturing plant.



# Warranty & Finish



Unpainted Galvalume carries a 25 year warranty and is a 45% zinc and 55% aluminum coating with a clear acrylic overcoat.

Some plants also provide unpainted galvanized which is carries no warranty and is a zinc coating.

Painted carries a 40 year paint warranty and 30 year fade/chalk warranty and has primer and Galvalume under the paint. Other plants cannot provide 1.25" Corrugated in painted.



# Purpose & Use

1.25" Corrugated is flexible enough to handle moderate curvatures – it's lower profile ribs are decorative but still strong.

Common uses for 1.25" Corrugated include interior walls, ceilings, and siding. Because of the low ribs, 1.25" Corrugated is primarily decorative if used on roofs. Galvalume, galvanized, and painted finishes completely change the look and style of a project.



**MINIMUM SLOPE**  
Primarily Siding  
3:12 Roof (Decorative)



**SUBSTRATE**  
Solid Deck  
Open Frame



**FLORIDA APPROVALS**  
Not Tested or Approved




**INTENT**  
Residential



**CATEGORY**  
Through Fastened Panel





PEOPLE



MAKE



THE



DIFFERENCE