

# R-Panel/PBR-Panel

Heavy-duty strength you can count on.



R-Panel/PBR-Panel is a low slope metal roof and wall panel with 1.25" high ribs at 12" apart. R-Panel/PBR-Panel installs quickly and cost efficiently on slopes as low as 1:12 - it's our most popular panel chosen for commercial and agricultural use.




# Design & Size



We manufacture R-Panel/PBR-Panel custom cut to the inch per your specifications. Any length is available from 3' up to 45'.

R-Panel/PBR-Panel's design features four 1.25" high ribs, spaced 12" on center. PBR-Panel has a purlin bearing rib that makes stitch screws easier to install on roofs.

Thickness options include 26 and 24 gauge standard and 22 gauge optional.





# Warranty & Finish



R-Panel/PBR-Panel is available in SMP painted, Kynar 500® PVDF painted, and non-painted Galvalume. Unpainted Galvalume is popular for commercial roofs, while the painted options are popular for roofs and walls of commercial and general-purpose buildings.

Painted systems carry a 50 year paint warranty, 50 year substrate warranty, and 30 year fade/chalk warranty. Unpainted systems carry a 45 year warranty.



# Purpose & Use

R-Panel/PBR-Panel is the Super-Duty® contender of metal roof and wall systems. Built with high tensile steel and well built trapezoidal ribs, there are few jobs too tough for this rugged panel.

Whether you choose R-Panel/PBR-Panel for its ability to handle slopes as low as 1:12 or open framing spans as far as 5'-7' apart, R-Panel/PBR-Panel lives up to the demands you place on it.

R-Panel/PBR-Panel is most chosen for commercial and industrial roofs and walls, though it blends in well in most architectural design.



**MINIMUM SLOPE**  
1:12



**SUBSTRATE**  
Solid Deck  
Open Frame



**HAIL RESISTANT**  
High Tensile Steel  
Class 4 Impact Resistance




**INTENT**  
Commercial  
Industrial



**CATEGORY**  
Through Fastened Panel  
Commercial Panel



# Inspiration







PEOPLE



MAKE



THE



DIFFERENCE