

Titan-Loc 100 Standing Seam

Traditional 1" high standing seam with a hidden fastened flange.



Titan-Loc 100 is a charming standing seam system with 1" high ribs at 16" apart. A hidden fastening flange allows fast installation and locks out wind and water.




Design & Size



We provide Titan-Loc 100 custom cut to the inch per specifications. Any length is available from 3' up to 45'.

Titan-Loc 100's design features 1" high snap-lock style ribs, spaced 16" on center. 12" wide panels are available at some locations. Thickness options include 26 and 24 gauge.



Warranty & Finish



Painted Titan-Loc 100 carries a 50 year paint warranty, 50 year substrate warranty, and 30 year fade/chalk warranty. Unpainted Galvalume carries a 45 year warranty.

The painted option is a baked on enamel paint over primer and Galvalume. The non-painted Galvalume option is 45% zinc and 55% aluminum with a clear acrylic overcoat.



Purpose & Use

Titan-Loc 100 is a versatile all-around standing seam metal roof system. It blends with almost any architecture with incredible strength and a life-time duration.

Titan-Loc 100 is designed to be installed over solid decking - for open frame installations consider Snap Seam as an alternate.



MINIMUM SLOPE
3:12



SUBSTRATE
Solid Deck



HAIL RESISTANT
High Tensile Steel
Class 4 Impact Resistance



INTENT
Residential
Commercial



CATEGORY
Standing Seam

Inspiration





PEOPLE



MAKE



THE



DIFFERENCE