


Mechanical Seam 150

Provides superior durability in demanding environments.



The Mechanical Seam 150 panel system combines advanced standing seam engineering with mechanically seamed panel technology for increased protection against water intrusion and harsh weather conditions.



 **Best Buy Metals**


Metal Roofing, Nationwide
bestbuymetals.com

Design & Size



We provide Mechanical Seam 150 custom cut to the inch per specifications. Any length is available from 3' up to 40'. Floating clips allow for unlimited expansion.

Mechanical Seam 150's design features 1.5" high ribs, spaced 16" on center. Thickness options include 26 and 24 gauge as standard.



Warranty & Finish



Painted Mechanical Seam 150 carries a 50 year paint warranty and 30 year fade/chalk warranty. Unpainted Galvalume carries a 45 year warranty.

The painted option is a baked on enamel paint over primer and Galvalume. The non-painted Galvalume option is 45% zinc and 55% aluminum with a clear acrylic overcoat.



Purpose & Use

Mechanical Seam 150 is a type of standing seam chosen for its superior weather resistance and long term performance for high end residential and commercial projects.

Mechanical Seam 150 is designed for installation over solid decking and for use on slopes as low as 2:12. A floating design allows for longer panels and end-lapping as needed.



MINIMUM SLOPE

2:12



SUBSTRATE

Solid Deck



FLORIDA APPROVALS

Florida Building Code
(HVHZ if 24ga, Non-HVHZ if 26ga)



INTENT

Residential
Commercial



CATEGORY

Standing Seam
Mechanical Seam